ILLINOIS WEATHER & CROPS





ILLINOIS DEPARTMENT OF AGRICULTURE http://www.nass.usda.gov/il

RELEASED: July 15, 2013 3 P.M., CT

VOL.34, NO.20

Agricultural Summary


Crops were growing at a steady pace last week and were looking good. However, more rain will be needed to continue this pattern in crop development. The weather has been favorable for weeds and pests so spraying was in full swing last week. Precipitation averaged 0.53 inches throughout the state, 0.27 inches below normal. Temperatures across the state averaged 74.9 degrees for the week, 1.5 degrees below normal. There were 5.9 days suitable for field work last week. Topsoil moisture levels across the state were rated as 16 percent short, 75 percent adequate and 9 percent surplus. Corn conditions were rated as 1 percent very poor, 5 percent poor, 25 percent fair, 50 percent good, and 19 percent excellent. Corn average height reached 63 inches, 15 inches greater than the previous week. Soybeans blooming progressed to 32 percent with soybean conditions rated as 2 percent very poor, 4 percent poor, 21 percent fair, 61 percent good, and 12 percent excellent. Pasture conditions were rated as 2 percent poor, 16 percent fair, 61 percent good, and 21 percent excellent. Activities included spraying, cutting and baling hay, and harvesting wheat.

Crop Progress Percents

This Week Week 2012 5-Year Week Week Week 2012 5-Year Average July 14 CORN: Silked 21 8 91 50 57 SOYBEANS: Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74 RED CLOVER:	Clop Fi	Ogress	FETCE	iics	
Week Week Average		This	Last	2012	5-Year
CORN: Silked 21 8 91 50 Average height 63 48 70 57 SOYBEANS: Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: 88 68 100 92 ALFALFA HAY: 5 26 97 74		Week	Week	2012	Average
Silked 21 8 91 50 Average height 63 48 70 57 SOYBEANS: Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74			July 1	L 4	
Average height 63 48 70 57 SOYBEANS: Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	CORN:				
SOYBEANS: Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Silked	21	8	91	50
Blooming 32 9 66 38 Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Average height	63	48	70	57
Setting pods 3 1/ 14 7 SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	SOYBEANS:				
SORGHUM: Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Blooming	32	9	66	38
Headed 8 5 17 13 OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Setting pods	3	1/	14	7
OATS: Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	SORGHUM:				
Filled 98 80 100 96 Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Headed	8	5	17	13
Turning yellow 69 47 97 78 Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	OATS:				
Ripe 28 18 81 42 Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Filled	98	80	100	96
Harvested 11 5 55 24 WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Turning yellow	69	47	97	78
WINTER WHEAT: Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Ripe	28	18	81	42
Ripe 97 89 100 99 Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	Harvested	11	5	55	24
Harvested 88 68 100 92 ALFALFA HAY: Second cutting 54 26 97 74	WINTER WHEAT:				
ALFALFA HAY: Second cutting 54 26 97 74	Ripe	97	89	100	99
Second cutting 54 26 97 74	Harvested	88	68	100	92
	ALFALFA HAY:				
RED CLOVER:	Second cutting	54	26	97	74
	RED CLOVER:				
Cut 94 93 100 94	Cut	94	93	100	94

^{1/} Less than one percent.

Corn - Percent Silked Illinois




As of July 14

Crop Condition Percents

0-0p 00-10-10-10-10-10-10-10-10-10-10-10-10-1							
Crop	Very Poor	Poor	Fair	Good	Excellent		
			July 14				
Corn	1	5	25	50	19		
Soybean	2	4	21	61	12		
Sorghum	3	3	18	70	6		
Oats	2	5	28	57	8		
Alfalfa	1	3	14	66	16		
Pasture	-	2	16	61	21		

	Davis Cuitable	Topsoil				Subsoil			
District	Days Suitable For Fieldwork	Very Short	Short	Adequate	Surplus	Very Short	Short	Adequate	Surplus
	July 8 - 14				Ju.	ly 14			
Northwest	6.3	-	18	80	2	1	9	90	_
Northeast	6.3	-	2	93	5	_	-	99	1
West	6.9	1	56	43	_	_	29	71	_
Central	5.7	-	15	78	7	_	9	84	7
East	5.8	-	12	86	2	_	10	88	2
W Southwest	5.8	-	18	81	1	_	5	89	6
E Southeast	4.6	-	2	65	33	_	2	70	28
Southwest	5.2	1	9	58	32	-	8	56	36
Southeast	6.0	-	8	71	21	-	-	90	10
State	5.9	-	16	75	9	_	9	83	8



District	Corn	Soybeans	Soybeans
DISCIICC	Silked	Blooming	Setting Pods
		July 14	
Northwest	27	42	1
Northeast	23	38	8
West	20	21	1
Central	39	37	6
East	11	42	2
W Southwest	26	18	_
E Southeast	15	30	_
Southwest	22	7	1
Southeast	38	8	
State	21	32	3

Weather Information Table

11District	Temperature		Precipitation		Growing Degree Days			
TIDISCITCC	Average	Departure	Total	Departure	Since May 1	Departure		
	July 8 - 14							
Northwest	73.5	-0.9	0.72	-0.10	1,293	- 5		
Northeast	73.6	-0.6	0.59	-0.16	1,254	-3		
West	75.3	-1.5	0.49	-0.32	1,400	-25		
Central	74.8	-1.2	0.67	-0.14	1,388	-10		
East	73.7	-1.7	0.67	-0.22	1,378	-3		
W Southwest	75.7	-1.8	0.59	-0.16	1,455	-26		
E Southeast	74.9	-2.5	0.58	-0.26	1,467	-24		
Southwest	76.7	-1.9	0.16	-0.59	1,498	-46		
Southeast	76.9	-1.8	0.06	-0.72	1,525	-37		
State	74.9	-1.5	0.53	-0.27	1,402	-19		

Maps Currently Unavailable

Weather data provided by the Midwestern Regional Climate Center Visit their home page at http://mrcc.isws.illinois.edu/ (217)244-8226

Maps are available in color on our website http://www.nass.usda.gov/il

Illinois Weather & Crops
July 15, 2013

Illinois Weather & Crops is published weekly April-October, semimonthly in January, monthly in December, February and March and three issues in November, by the Illinois Dept. of Agriculture, USDA-NASS Illinois Field Office, Room 54, Department of Agriculture Bldg., 801 Sangamon Ave., Springfield, IL 62702. For information on subscribing, send request to the above address. Postmaster: Send Address Change to Illinois Weather & Crops, P.O. Box 19283, Springfield, IL 62794-9283.

USDA-NASS Illinois Field Office PO Box 19283 Springfield, IL 62794-9283 PRST STD US POSTAGE PAID MAILED FROM ZIP CODE 39205 PERMIT NO. G-38

For a U.S. summary and other state data go to:
 http://www.usda.gov/nass/pubs/staterpt.htm
The Illinois report is also available on the Internet at:
 http://www.nass.usda.gov/il/wc.htm

CROP PROGRESS INFORMATION in this report is provided voluntarily by local area officials of Farm Service Agency, Extension Service,

National Resources Conservation Service, Farm Business
Farm Management field staff, and agribusiness managers.